


RECREATE
LIGHT
ATTITUDE
AND
DOWN



Lirio®

by

PHILIPS



2

Light inspires, light creates...

As the light bulb replaced candles, now LED will replace the bulb; a paradigm shift, allowing light to gain a new meaning in the home. The role of design is to enable this shift from styling luminaires to designing light itself.

With Lirio by Philips we continuously challenge ourselves to shape a light portfolio that brings both compelling designs as much as it intrigues with the light it creates. LED is taking a more and more important role in the portfolio allowing the design team of LIRIO to craft new, unique designs and forms.

Keeping in mind the important role that light takes in your life, LIRIO by Philips wants to offer you a collection that inspires and adds personality. Offering a true match between imaginative design and a human approach to innovation, LIRIO by Philips is an invitation to all to express yourself in your interior.

Lirio by Philips is a beautiful story to share.

Watch Nick-Knack, the movie at www.lirio.eu







Reddot Design Award

The Red Dot award is an internationally recognized seal of quality for excellent design. A creation that is granted with this award shows it belongs to the world's design elite.

iF Product Design Award

iF International Forum Design has been recognizing outstanding achievements in design with iF awards and iF Gold awards. Today it is among the most important awards for innovative product design.


iF Gold Award

Only 100 of the best iF award-winning designs are honored with the iF Gold award: the highest recognition of international design excellence. Balanza, one of the proud winners, was praised for its distinct impression and minimalist shape. A strong and powerful design made to impress.

BALANZA




TRELOME



CIRCULIS



CIELO



NICK-KNACK

6





BRANCHES



STELLATE



TUBIZ



new



MONETE



ERON



ECLIPTIC

BLOQ
page 122




BONQ
page 130




BRANCHES
page 56



BUNCH
page 78



CARINO
page 74



CELSE
page 102



CIELO
page 64



CIRCULIS
page 46
page 106



CONDO
page 126



CRANY
page 16



DOLINEA
page 86



DOLIUM
page 132



DOLOQ
page 118



ECLIPTIC
page 38



ERON
page 14



HALUS II
page 58



JIVE
page 34



KWADRO
page 143



ADISA
page 82



ALTENA
page 94



BALANZA
page 18



LUCEBAR
page 32



LUCIOS
page 72



MAZE
page 30



MONETE
page 46



MUSIO
page 36




NEBO
page 80



NICK-KNACK
page 10



PALLO
page 116



PLANET
page 134



PONATO
page 108



PORTIO
page 70



POSADA
page 22



QUADRATUS
page 26



RANDO
page 144



RIMA
page 138



SKIVE
page 68



STELLATE
page 52



TERES
page 90



TORNO
page 112



TRELOME
page 42



TUBIZ
page 128



TUBOUND
page 96



TUBULAR
page 100



TUBULED
page 98



TULMIS
page 84



VETRO
page 140



WALTZ
page 60





10

WHAT CAN YOU DO WITH A STRAIGHT LINE?

One line, many possibilities: in the '70s cartoon La Linea, Osvaldo Cavandoli made a little man come alive from one line of his pen. Nick-Knack, the new floor lamp inspired by the same idea: starting from a straight line, Nick-Knack can be twisted into 16 different positions. Available in 5 vivid colors, this playful floor lamp brings direct and indirect lighting - to read a book or to create a nice atmosphere in your home. Combining smart design with LED, Nick-Knack is the first line of a great story.

NICK-KNACK





4225131LI

2x 7,5W, class II

H 1664mm L 325mm W 325mm





POWER LED incl.
selv - 7,5 w ≈ 350 Lumen

NICK-KNACK



4225130LI

2x 7,5W, class II
H 1664mm L 325mm W 325mm




4225132LI

2x 7,5W, class II
H 1664mm L 325mm W 325mm



4225134LI

2x 7,5W, class II
H 1664mm L 325mm W 325mm



4225135LI

2x 7,5W, class II
H 1664mm L 325mm W 325mm







POWER LED incl.
selv - 15 w ≈ 450 Lumen

ERON



4225030LI

1x 15W, class II
H 1610mm L 469mm W 241mm



4225048LI

1x 15W, class II
H 1610mm L 469mm W 241mm



4326030LI

1x 15W, class II
H 574mm L 191mm W 317mm




4326048LI

1x 15W, class II
H 574mm L 191mm W 317mm







4215530LI

Ix 140W, class II
H2334mm L500mm W1670mm



4215531LI

Ix 140W, class II
H2334mm L500mm W1670mm





18





BALANZA

How balanced can design be?

Balanza shines in simplicity. A strong and powerful design that impresses. A standout in your interior; it offers a balanced approach to design. Balanza's timeless design combined with a diffused light output makes it an all-time favourite.

Or as the jury of the prestigious iF design award noted when granting the Golden iF award to Balanza: "Rather than merely appearing as a dive, this lamp makes a distinct impression as it shines with simple, clear and minimalist shapes. The design is so simple and unobtrusive that it contradicts the experimental trend."

19



Lirio
by
PHILIPS





reddot design award
winner 2012



product
design award

2012 GOLD

BALANZA

21



422403 ILI

1x 105W, class II
H 1759mm L 500mm W 517mm



4224093 LI

1x 105W, class II
H 1759mm L 500mm W 517mm



432403 ILI

1x 105W, class II
H 304mm L 310mm W 341mm



4324093 LI

1x 105W, class II
H 304mm L 310mm W 341mm







touch & dim



3736330LI

2x 70W, class I
H 1838mm L 500mm W 911mm



3736430LI

2x 70W, class I
H 611mm L 400mm W 447mm



3736230LI

1x 70W, class I
H 455mm L 312,5mm W 451mm







touch & dim



373633 ILI

2x 70W, class I
H 1838mm L 500mm W 911mm



373643 ILI

2x 70W, class I
H 611mm L 400mm W 447mm



373623 ILI

1x 70W, class I
H 455mm L 312,5mm W 451mm





QUADRATUS

27



4211017LI

2x 70W, class I

H 1544mm L 350mm W 350mm



4561017LI

1x 42W, class I

H 110mm L 200mm W 232mm



4311017LI

2x 70W, class I

H 290mm L 301mm W 301mm



4111017LI

4x 14W, class I

H 2700mm L 1150mm W 350mm



QUADRATUS

29



4211011LI

2x 70W, class I

H 1544mm L 350mm W 350mm



4561011LI

1x 42W, class I

H 110mm L 200mm W 232mm



4311011LI

2x 70W, class I

H 290mm L 301mm W 301mm



4111011LI

4x 14W, class I

H 2700mm L 1150mm W 350mm





3762030LI

4x 70W, class I
H 3000mm L 486mm W 486mm



3762330LI

4x 70W, class II
H 619mm L 414mm W 414mm



3762430LI

4x 70W, class II
H 1800mm L 503mm W 503mm





 turn & dim

33



4223031LI

2x 55W, class I
H 1796mm L 289mm W 289mm



4223048LI

2x 55W, class I
H 1796mm L 289mm W 289mm







431551/LI

1x 20W, class II
H232mm L396mm W396mm







431503LI

1x 105W, class II

H300mm L400mm W400mm





What is it about light that we can't grasp?

Light is all around us, yet we can't put our finger on it. Ecliptic is just as mystifying as light. It's a body with a glowing cavity, mass and void, all in one. It looks like it's from outer space.

Ecliptic appeals and amazes. It is a mysterious interpretation of light.

38









POWER LED incl.
selv - 2,5 w ≈ 115 Lumen

ECLIPTIC



41



407553ILI

16x 2,5W, class II
H3000mm L650mm W650mm



4075593LI

16x 2,5W, class II
H3000mm L650mm W650mm



407563ILI

12x 2,5W, class II
H3000mm L475mm W475mm



4075693LI

12x 2,5W, class II
H3000mm L475mm W475mm



When technology becomes design.

Technology sets Trelome apart. This pendant matches the unique LED anti-glare disk in a smooth and gracious design. The three domes on top of Trelome accentuate its soft form and offer you a functional lighting solution. Dress up your table in light.



POWER LED incl.
selv - 15 w $\approx$ 450 Lumen

TRELOME



43



3709531LI

3x 15W, class I
H 3000mm L 1000mm W 225mm




3709548LI

3x 15W, class I
H 3000mm L 1000mm W 225mm



product
design award

2012





POWER LED incl.
selv - 7,5 w ≈ 350 Lumen

TRELOME

45



3709731LI


2x 7,5W, class I
H 50mm L 250mm W 100mm



3709748LI

2x 7,5W, class I
H 50mm L 250mm W 100mm







POWER LED incl.
selv - 7,5 w ≈ 350 Lumen

MONETE




47




407633 ILI

2x 7,5W, class I
H 67mm L 400mm W 162mm



407643 ILI

3x 7,5W, class I
H 67mm L 546mm W 162mm



407653 ILI

4x 7,5W, class I
H 1500mm L 780mm W 213mm





Can light be architectural?

We believe it is with Circulis. Circulis is a geometrical design with clear surfaces and strong contrasts. The unique LED anti-glare disks direct the light wherever you want. Up. Down. Sideways. Any. Direction. You. Choose. It makes Circulis a progressive and functional luminaire, with a clear architectural signature.








POWER LED incl.
selv - 15 w $\approx$ 4 50 Lumen

CIRCULIS

51



406023116

3x 15W, class I
H2165mm L722mm W218mm



406093116

3x 15W, class I
H2165mm L218mm W72mm








POWER LED incl.
selv - 2,5 w ≈ 115 Lumen

STELLATE



40753 ILLI

7x 2,5W, class I
H 2500mm L 248mm W 248mm



40752 ILLI

12x 2,5W, class I
H 2500mm L 546mm W 546mm



40754 ILLI

12x 2,5W, class I
H 166mm L 546mm W 546mm










POWER LED incl.
selv - 2,5 w ≈ 115 Lumen

STELLATE



407533ILI

7x 2,5W, class I
H 2500mm L 248mm W 248mm



407523ILI


12x 2,5W, class I
H 2500mm L 546mm W 546mm



407543ILI

12x 2,5W, class I
H 166mm L 546mm W 546mm







POWER LED incl.
selv - 5 w ≈ 200 Lumen

BRANCHES



4075711LI


5x 5W, class I
H 2500mm L 347mm W 347mm



4075811LI

9x 5W, class I
H 2500mm L 347mm W 347mm









POWER LED incl.
selv - 2,5 w ≈ 115 Lumen


HALUS II

59



4071330LI

18x 2,5W, class I
H2300mm L863mm W863mm



4071331LI

18x 2,5W, class I
H2300mm L863mm W863mm







3668030LI

5x 28W, class I
H 2870mm L 666mm W 666mm



3668130LI

8x 28W, class I
H 2870mm L 840mm W 840mm



3668230LI

2x 28W, class I
H 378mm L 419mm W 216mm







366803 I/LI

5x 28W, class I
H 2870mm L 666mm W 666mm



366813 I/LI

8x 28W, class I
H 2870mm L 840mm W 840mm



366823 I/LI

2x 28W, class I
H 378mm L 419mm W 216mm







Where is light coming from?

Cielo keeps a secret inside and makes the impossible possible: to emit light without a bulb. Bathing in eternal light, the shade lights up from the inside. See through Cielo – it is pure magic.

The combination of a classic shape and integrated LEDs, makes Cielo the essence of sophisticated lighting. A true Lirio by Philips classic and iF and Red Dot Design award winner 2012.







POWER LED incl.
selv - 2,5 w ≈ 115 Lumen

CIELO

67



reddot design award
winner 2012



product
design award

2012



4055001LI

24x 2,5W, class II
H 3210mm L 593mm W 593mm



4055030LI

24x 2,5W, class II
H 3210mm L 593mm W 593mm




4055031LI

24x 2,5W, class II
H 3210mm L 593mm W 593mm








4038030LI

3x 70W, class I

H 3000mm L 700mm W 700mm



4038031LI

3x 70W, class I

H 3000mm L 700mm W 700mm





PORTIO



4025231LI


3x 14W, class I
H2640mm L610mm W610mm



4025232LI

3x 14W, class I
H2640mm L610mm W610mm







4031211L

1x 140W, class I

H3000mm L450mm W450mm







3692232LI

1x 42W, class I


H 123mm L 135mm W 151mm



3692532LI

1x 105W, class I

H 282mm L 300mm W 300mm



3692132LI

2x 105W, class I

H 2250mm L 713mm W 300mm



3692032LI

1x 105W, class I

H 2350mm L 400mm W 400mm







369223 ILI

1x 42W, class I
H 123mm L 135mm W 151mm



369253 ILI

1x 105W, class I
H 282mm L 300mm W 300mm



369213 ILI

2x 105W, class I
H 2250mm L 713mm W 300mm





369203 ILI

1x 105W, class I
H 2350mm L 400mm W 400mm







4105131LI


3x 20W, class I
H2200mm L496mm W496mm



4105031LI

3x 20W, class I
H2200mm L650mm W650mm








3757531LI

1x 55W, class I

H2145mm L504mm W504mm







4101011LI

1x 105W, class I
H2250mm L498mm W498mm



4101111LI

1x 105W, class I
H252mm L498mm W498mm







369001ILI

Ix 70W, class I
H 2220mm L 406mm W 406mm



369031ILI

Ix 105W, class I
H 1562mm L 400mm W 400mm



369041ILI

Ix 105W, class I
H 582mm L 400mm W 400mm






86

Black is the new white. White is the new black.

Who says modern architecture cannot be complemented with warm white light? Accentuate your house with the pure black and white elegance of Dolinea. The textured black fabric adds a decorative touch and feeling to your interior. Looking for a more subtle presence, choose for the matt white.



DOLINEA







POWER LED incl.
selv - 7,5 w ≈ 350 Lumen

DOLINEA



368353ILI

3x 7,5W, class I
H 3000mm L 1049mm W 87mm



368363ILI

4x 7,5W, class I
H 3000mm L 1300mm W 87mm



368373ILI

2x 7,5W, class I
H 478mm L 99mm W 71mm



3683530LI

3x 7,5W, class I
H 3000mm L 1049mm W 87mm



3683630LI


4x 7,5W, class I
H 3000mm L 1300mm W 87mm



3683730LI

2x 7,5W, class I
H 478mm L 99mm W 71mm







40206 I I L I

11x 28W, class I
H 2600mm L 1184mm W 132mm



40205 I I L I

7x 28W, class I
H 2600mm L 844mm W 132mm



45605 I I L I

2x 42W, class I
H 75mm L 306mm W 96mm







4020617LI

11x 28W, class I
H2600mm L1184mm W132mm



4020517LI

7x 28W, class I
H2600mm L844mm W132mm



4560517LI

2x 42W, class I
H75mm L306mm W96mm









POWER LED incl.
selv - 7,5 w ≈ 350 Lumen

ALTENA

95



Using a simple key, you can define your preferred white light colour. You can choose between four different white light colour temperatures: 3450, 3100, 2700 and 2500 Kelvin. This feature is not a substitute for a dimmer.



3794548LI

4x 7,5W, class II
H 2500mm L 1167mm W 140mm



3794648LI


3x 7,5W, class II
H 51mm L 603mm W 200mm



3794748LI

2x 7,5W, class I
H 56mm L 324mm W 144mm





TUBOUND

97



406073116

1x 30W, class I

H2500mm L123mm W123mm




406083116

3x 30W, class I

H2500mm L1090mm W123mm







POWER LED incl.
selv - 7,5 w ≈ 350 Lumen

TUBULED

99



4071511LI

1x 7,5W, class I
H 2500mm L 170mm W 170mm



4071611LI

2x 7,5W, class I
H 2500mm L 556mm W 120mm



4071711LI

3x 7,5W, class I
H 2500mm L 1046mm W 120mm





TUBULAR

101



4021511LI

1x 75W, class I
H 2840mm L 120mm W 120mm



4021611LI


2x 75W, class I
H 2840mm L 690mm W 120mm




4021711LI

3x 75W, class I
H 2840mm L 990mm W 120mm







4022117LI

Ix 240W, class I

H253mm L900mm W340mm



Spots, wall & ceiling





POWER LED incl.
selv - 15 w ≈ 450 Lumen

CIRCULIS

107



reddot design award
winner 2012



579363116

1x 15W, class I
H 50mm L 273mm W 197mm



579373116

2x 15W, class I
H 50mm L 460mm W 207mm








POWER LED incl.
selv - 7,5 w ≈ 350 Lumen

PONATO

Anything but an ordinary spot light. A trendsetter in its kind with its exclusive galvanized chrome finish.

109



 easy installation
with magnetic cover



571603ILI

1x 7,5W, class I
H 140mm L 210mm W 112mm



571623ILI

2x 7,5W, class I
H 140mm L 322mm W 112mm



571643ILI

4x 7,5W, class I
H 140mm L 622mm W 112mm








POWER LED incl.
selv - 7,5 w ≈ 350 Lumen

PONATO

Anything but an ordinary spot light. A trendsetter in its kind with its exclusive galvanized chrome finish.

111



 easy installation
with magnetic cover



5716013LI

1x 7,5W, class I
H 140mm L 210mm W 112mm



5716213LI

2x 7,5W, class I
H 140mm L 322mm W 112mm



5716413LI

4x 7,5W, class I
H 140mm L 622mm W 112mm







POWER LED incl.
selv - 7,5 w ≈ 350 Lumen

TORNO



5714011LI

1x 7,5W, class II
H 153mm L 179mm W 179mm



113



5714211LI

2x 7,5W, class II
H 248mm L 256mm W 256mm



5714311LI

3x 7,5W, class II
H 353mm L 258mm W 258mm



5714511LI

1x 7,5W, class III
L 85mm C 70x70mm R 71mm



5714611LI

1x 7,5W, class III
L 85mm C 65x65mm R 38mm







POWER LED incl.
selv - 7,5 w ≈ 350 Lumen

TORNO



571403 ILI

1x 7,5W, class II

H 153mm L 179mm W 179mm



115



571423 ILI

2x 7,5W, class II

H 248mm L 256mm W 256mm



571433 ILI

3x 7,5W, class II


H 353mm L 258mm W 258mm



571453 ILI

1x 7,5W, class III

L 85mm C 70x70mm R 71mm



571463 ILI

1x 7,5W, class III

L 85mm C 65x65mm R 38mm







570703ILI

1x 50W, class I
H 175mm L 156mm W 156mm



570723ILI

2x 50W, class I
H 257mm L 298mm W 210mm



570733ILI

3x 50W, class I
H 261mm L 302mm W 302mm





A touch of luxury decorating your ceiling. Doloq lifts up the idea you had about functional spot lights.

119



571303 ILI

1x 30W, class I
H 85mm L 200mm W 155mm



571323 ILI

2x 30W, class I
H 85mm L 325mm W 155mm



571333 ILI

3x 30W, class I
H 85mm L 495mm W 155mm



571343 ILI

4x 30W, class I
H 85mm L 325mm W 325mm





A touch of luxury decorating your ceiling. Doloq lifts up the idea you had about functional spot lights.

121



5713030LI

1x 30W, class I
H85mm L200mm W155mm



5713230LI

2x 30W, class I
H85mm L325mm W155mm



5713330LI

3x 30W, class I
H85mm L495mm W155mm




5713430LI

4x 30W, class I
H85mm L325mm W325mm







5700030LI

1x 50W, class I
H 122mm L 163mm W 163mm



5700230LI

2x 50W, class I
H 122mm L 313mm W 163mm



5700330LI

3x 50W, class I
H 122mm L 463mm W 163mm



5700430LI

4x 50W, class I
H 122mm L 313mm W 313mm







570003 ILI

1x 50W, class I
H 122mm L 163mm W 163mm



570023 ILI

2x 50W, class I
H 122mm L 313mm W 163mm



570033 ILI

3x 50W, class I
H 122mm L 463mm W 163mm



570043 ILI

4x 50W, class I
H 122mm L 313mm W 313mm







306043116

1x 35W, class I
H 115mm L 144mm W 92mm



306053116

2x 35W, class I
H 115mm L 234mm W 92mm



336053116


2x 35W, class I
H 200mm L 94mm W 125mm



336053196

2x 35W, class I
H 200mm L 94mm W 125mm





TUBIZ



129



3066531LI

1x 30W, class I
H 124mm L 122mm W 122mm



3066548LI

1x 30W, class I
H 124mm L 122mm W 122mm







579813116

1x 30W, class I
H 101mm L 141mm W 141mm



579814816

1x 30W, class I
H 101mm L 141mm W 141mm



131



579823116

2x 30W, class I
H 101mm L 281mm W 141mm



579824816

2x 30W, class I
H 101mm L 281mm W 141mm



579843116

4x 30W, class I
H 101mm L 881mm W 141mm



579844816

4x 30W, class I
H 101mm L 881mm W 141mm







579903116

1x 35W, class I
H 122mm L 124mm W 72mm



579903196

1x 35W, class I
H 122mm L 124mm W 72mm



579904816

1x 35W, class I
H 122mm L 124mm W 72mm



579904896

1x 35W, class I
H 122mm L 124mm W 72mm



133



579923116

2x 35W, class I
H 122mm L 210mm W 72mm



579924816

2x 35W, class I
H 122mm L 210mm W 72mm



579943116

4x 35W, class I
H 122mm L 580mm W 72mm



579944816

4x 35W, class I
H 122mm L 580mm W 72mm







5703048LI

1x 50W, class I
H 82mm L 80mm W 80mm



5703148LI

1x 35W, class II
H 108mm L 94mm W 94mm




135



5703248LI

2x 50W, class I
H 95mm L 195mm W 80mm



5703348LI

3x 50W, class I
H 240mm L 596mm W 132mm



5703448LI

4x 50W, class I
H 95mm L 195mm W 195mm



5703648LI

6x 50W, class I
H 107mm L 1055mm W 82mm







570303 ILI

1x 50W, class I
H 82mm L 80mm W 80mm



570313 ILI

1x 35W, class II
H 108mm L 94mm W 94mm




137



570323 ILI

2x 50W, class I
H 95mm L 195mm W 80mm



570333 ILI

3x 50W, class I
H 240mm L 596mm W 132mm



570343 ILI


4x 50W, class I
H 95mm L 195mm W 195mm



570363 ILI

6x 50W, class I
H 107mm L 1055mm W 82mm







139



336073116

1x 14W, class II

H 117mm L 827mm W 65mm







3250131LI

2x 80W, class I
H83mm L450mm W450mm



3450031LI

1x 120W, class I
H80mm L380mm W184mm







3250417LI

2x 9W, class I

H71mm L250mm W250mm



3250517LI

2x 11W, class I

H71mm L350mm W350mm



3250617LI

4x 9W, class I

H71mm L450mm W450mm



3450417LI

1x 11W, class I

H71mm L350mm W180mm





RANDO

I45



3251548LI

1x 60W, class II
H82mm L504mm W504mm




3251648LI

1x 40W, class II
H82mm L424mm W424mm



Nick-Knack
p. 12



4225131LI


class II, IP20, SELV
H1664mm L325mm W325mm

54-1398-71333.05
white, metal

2x 7,5W POWERLED incl.
approved for 2x max. 7,5W



Nick-Knack
p. 13



4225130LI


class II, IP20, SELV
H1664mm L325mm W325mm

54-1398-71332.99
black, metal

2x 7,5W POWERLED incl.
approved for 2x max. 7,5W



Nick-Knack
p. 13



4225132LI


class II, IP20, SELV
H1664mm L325mm W325mm

54-1398-71350.33
red, metal

2x 7,5W POWERLED incl.
approved for 2x max. 7,5W



Nick-Knack
p. 13



4225134LI


class II, IP20, SELV
H1664mm L325mm W325mm

54-1398-71333.12
yellow, metal

2x 7,5W POWERLED incl.
approved for 2x max. 7,5W



Nick-Knack
p. 13



4225135LI


class II, IP20, SELV
H1664mm L325mm W325mm

54-1398-71333.29
blue, metal

2x 7,5W POWERLED incl.
approved for 2x max. 7,5W



Eron
p. 15



4225030LI


class II, IP20, SELV
H1610mm L469mm W241mm

54-1398-71332.75
black, metal

1x 15W POWERLED incl.
approved for 1x max. 15W



Eron
p. 15




4225048LI
class II, IP20, SELV
H1610mm L469mm W241mm

54-1398-71332.82
aluminium, metal

1x 15W POWERLED incl.
approved for 1x max. 15W



Eron
p. 15




4326030LI
class II, IP20, SELV
H574mm L191mm W317mm

54-1398-71333.98
black, metal

1x 15W POWERLED incl.
approved for 1x max. 15W



Eron
p. 15




4326048LI
class II, IP20, SELV
H574mm L191mm W317mm

54-1398-71334.04
aluminium, metal

1x 15W POWERLED incl.
approved for 1x max. 15W



Crany
p. 17




4215530LI
class II, IP20, 230V
H2334mm L500mm W1670mm

54-1398-70453.56
black, metal

1x 140W E27 EcoClassic incl.
approved for 1x max. 140W



Crany
p. 17




4215531LI
class II, IP20, 230V
H2334mm L500mm W1670mm

54-1398-70453.63
white, metal

1x 140W E27 EcoClassic incl.
approved for 1x max. 140W



Balanza
p. 21




4224031LI
class II, IP20, 230V
H1759mm L500mm W517mm

54-1398-70714.09
white, metal

1x 105W E27 EcoClassic incl.
approved for 1x max. 105W



Balanza
p. 21



4224093LI


class II, IP20, 230V
H1759mm L500mm W517mm

54-1398-70858.88
anthracite, metal

1x 105W E27 EcoClassic incl.
approved for 1x max. 105W



Balanza
p. 21



4324031LI


class II, IP20, 230V
H304mm L310mm W341mm

54-1398-70714.23
white, metal

1x 105W E27 EcoClassic incl.
approved for 1x max. 105W



Balanza
p. 21



4324093LI


class II, IP20, 230V
H304mm L310mm W341mm

54-1398-70858.95
anthracite, metal

1x 105W E27 EcoClassic incl.
approved for 1x max. 105W



Posada
p. 23



3736230LI


class I, IP20, 230V
H455mm L313mm W451mm

54-1398-70326.22
black, metal

1x 70W E27 EcoClassic incl.
approved for 1x max. 100W



Posada
p. 23



3736330LI


class I, IP20, 230V
H1838mm L500mm W911mm

54-1398-70276.35
black, metal

2x 70W E27 EcoClassic incl.
approved for 2x max. 100W



Posada
p. 23



3736430LI


class I, IP20, 230V
H611mm L400mm W447mm

54-1398-70276.59
black, metal

2x 70W E27 EcoClassic incl.
approved for 2x max. 75W



Posada
p. 25




3736231LI
class I, IP20, 230V
H455mm L313mm W451mm

54-1398-70326.39
white, metal

1x 70W E27 EcoClassic incl.
approved for 1x max. 100W



Posada
p. 25




3736331LI
class I, IP20, 230V
H1838mm L500mm W911mm

54-1398-70276.42
white, metal

2x 70W E27 EcoClassic incl.
approved for 2x max. 100W



Posada
p. 25




3736431LI
class I, IP20, 230V
H611mm L400mm W447mm

54-1398-70276.66
white, metal

2x 70W E27 EcoClassic incl.
approved for 2x max. 75W



Quadratus
p. 27




4111017LI
class I, IP20, 230V
H2700mm L1150mm W350mm

54-1398-70204.90
creme, metal

4x 14W E27 Softone incl.
approved for 4x max. 60W



Quadratus
p. 27




4211017LI
class I, IP20, 230V
H1544mm L350mm W350mm

54-1225-39522.82
creme, metal

2x 70W E27 Softone incl.
approved for 2x max. 75W



Quadratus
p. 27




4311017LI
class I, IP20, 230V
H290mm L301mm W301mm

54-1225-39522.99
creme, metal

2x 70W E27 EcoClassic incl.
approved for 2x max. 75W



Quadratus
p. 27



4561017LI


class I, IP20, 230V
H110mm L200mm W232mm

54-1398-70178.89
creme, metal

1x 42W G9 EcoHalo incl.
approved for 1x max. 60W



Quadratus
p. 29



411101ILI


class I, IP20, 230V
H2700mm L1150mm W350mm

54-1398-70204.83
black, metal

4x 14W E27 Softone incl.
approved for 4x max. 60W



Quadratus
p. 29



421101ILI


class I, IP20, 230V
H1544mm L350mm W350mm

54-1225-39520.91
black, metal

2x 70W E27 Softone incl.
approved for 2x max. 75W



Quadratus
p. 29



431101ILI


class I, IP20, 230V
H290mm L301mm W301mm

54-1225-39521.07
black, metal

2x 70W E27 EcoClassic incl.
approved for 2x max. 75W



Quadratus
p. 29



456101ILI


class I, IP20, 230V
H110mm L200mm W232mm

54-1398-70178.72
black, metal

1x 42W G9 EcoHalo incl.
approved for 1x max. 60W



Maze
p. 31



3762030LI


class I, IP20, 230V
H3000mm L486mm W486mm

54-1398-70476.95
black, fabric

4x 70W E27 EcoClassic incl.
approved for 4x max. 70W



Maze
p. 31




3762330LI
class II, IP20, 230V
H1619mm L414mm W414mm

54-1398-70477.18
black, fabric

4x 70W E27 EcoClassic incl.
approved for 4x max. 70W



Maze
p. 31




3762430LI
class II, IP20, 230V
H1800mm L503mm W503mm

54-1398-70477.01
black, fabric

4x 70W E27 EcoClassic incl.
approved for 4x max. 70W



Lucebar
p. 33




4223031LI
class I, IP20, 230V
H1796mm L289mm W289mm

54-1398-70715.22
white, glass

2x 55W 2G11 incl.
approved for 2x max. 55W



Lucebar
p. 33




4223048LI
class I, IP20, 230V
H1796mm L289mm W289mm

54-1398-70759.26
aluminium, glass

2x 55W 2G11 incl.
approved for 2x max. 55W



Jive
p. 35




4315511LI
class II, IP20, 230V
H232mm L396mm W396mm

54-1398-70482.96
chrome, glass

1x 20W E27 Tornado incl.
approved for 1x max. 60W



Musio
p. 37




4315031LI
class II, IP20, 230V
H300mm L400mm W400mm

54-1398-70256.79
white, glass

1x 105W E27 EcoClassic incl.
approved for 1x max. 150W



Ecliptic
p. 41



407553LI


class II, IP20, SELV
H3000mm L650mm W650mm

54-1398-71332.13
white, metal

16x 2,5W POWERLED incl.
approved for 16x max. 2,5W



Ecliptic
p. 41



4075593LI


class II, IP20, SELV
H3000mm L650mm W650mm

54-1398-71332.20
anthracite, metal

16x 2,5W POWERLED incl.
approved for 16x max. 2,5W



Ecliptic
p. 41



407563LI


class II, IP20, SELV
H3000mm L475mm W475mm

54-1398-71332.37
white, metal

12x 2,5W POWERLED incl.
approved for 12x max. 2,5W



Ecliptic
p. 41



4075693LI


class II, IP20, SELV
H3000mm L475mm W475mm

54-1398-71332.44
anthracite, metal

12x 2,5W POWERLED incl.
approved for 12x max. 2,5W



Trelome
p. 43



370953LI


class I, IP20, SELV
H3000mm L1000mm W225mm

54-1398-71032.16
white, metal

3x 15W POWERLED incl.
approved for 3x max. 15W



Trelome
p. 43



3709548LI


class I, IP20, SELV
H3000mm L1000mm W225mm

54-1398-71032.23
aluminium, metal

3x 15W POWERLED incl.
approved for 3x max. 15W



Trelome
p. 45




3709731LI
class I, IP20, SELV
H50mm L250mm W100mm

54-1398-71009.63
white, metal

2x 7,5W POWERLED incl.
approved for 2x max. 7,5W



Trelome
p. 45




3709748LI
class I, IP20, SELV
H50mm L250mm W100mm

54-1398-71013.42
aluminium, aluminium

2x 7,5W POWERLED incl.
approved for 2x max. 7,5W



Monete
p. 47




4076331LI
class I, IP20, SELV
H67mm L400mm W162mm

87-1794-37906.30
white, aluminium

2x 7,5W POWERLED incl.
approved for 2x max. 7,5W



Monete
p. 47




4076431LI
class I, IP20, SELV
H67mm L546mm W162mm

87-1794-37906.54
white, aluminium

3x 7,5W POWERLED incl.
approved for 3x max. 7,5W



Monete
p. 47




4076531LI
class I, IP20, SELV
H1500mm L780mm W213mm

87-1794-37906.78
white, aluminium

4x 7,5W POWERLED incl.
approved for 4x max. 7,5W



Circulis
p. 51




4060231I6
class I, IP20, SELV
H2165mm L722mm W218mm

87-1794-37514.33
white, aluminium

3x 15W POWERLED incl.
approved for 3x max. 15W



Circulis
p. 51



406093 I I 6


class I, IP20, SELV
H2165mm L218mm W72mm

87-1794-30353.66
white, aluminium

3x 15W POWERLED incl.
approved for 3x max. 15W



Stellate
p. 53



40752 I I I


class I, IP20, SELV
H2500mm L546mm W546mm

54-1398-71320.01
chrome, metal

12x 2,5W POWERLED incl.
approved for 12x max. 2,5W



Stellate
p. 53



40753 I I I


class I, IP20, SELV
H2500mm L248mm W248mm

54-1398-71331.83
chrome, metal

7x 2,5W POWERLED incl.
approved for 7x max. 2,5W



Stellate
p. 53



40754 I I I


class I, IP20, SELV
H166mm L546mm W546mm

54-1398-71320.32
chrome, metal

12x 2,5W POWERLED incl.
approved for 12x max. 2,5W



Stellate
p. 55



407523 I I I


class I, IP20, SELV
H2500mm L546mm W546mm

54-1398-71320.25
white, metal

12x 2,5W POWERLED incl.
approved for 12x max. 2,5W



Stellate
p. 55



407533 I I I


class I, IP20, SELV
H2500mm L248mm W248mm

54-1398-71332.06
white, metal

7x 2,5W POWERLED incl.
approved for 7x max. 2,5W



Stellate
p. 55




407543 I L I
class I, IP20, SELV
H166mm L546mm W546mm

54-1398-71320.56
white, metal

12x 2,5W POWERLED incl.
approved for 12x max. 2,5W



Branches
p. 57




407571 I L I
class I, IP20, SELV
H2500mm L347mm W347mm

54-1398-71332.51
chrome, metal

5x 5W POWERLED incl.
approved for 5x max. 5W



Branches
p. 57




407581 I L I
class I, IP20, SELV
H2500mm L347mm W347mm

54-1398-71332.68
chrome, metal

9x 5W POWERLED incl.
approved for 9x max. 5W



Halus II
p. 59




4071330 L I
class I, IP20, SELV
H2300mm L863mm W863mm

54-1398-71009.70
black, metal

18x 2,5W POWERLED incl.
approved for 18x max. 2,5W



Halus II
p. 59




4071331 L I
class I, IP20, SELV
H2300mm L863mm W863mm

54-1398-71010.21
white, metal

18x 2,5W POWERLED incl.
approved for 18x max. 2,5W



Waltz
p. 61




3668030 L I
class I, IP20, 230V
H2870mm L666mm W666mm

54-1225-39430.75
black, metal

5x 28W E14 EcoClassic incl.
approved for 5x max. 40W



Waltz
p. 61



3668130LI


class I, IP20, 230V
H2870mm L840mm W840mm

54-1225-39430.82
black, metal

8x 28W E14 EcoClassic incl.
approved for 8x max. 40W



Waltz
p. 61



3668230LI


class I, IP20, 230V
H378mm L419mm W216mm

54-1225-39420.78
black, metal

2x 28W E14 EcoClassic incl.
approved for 2x max. 40W



Waltz
p. 63



3668031LI


class I, IP20, 230V
H2870mm L666mm W666mm

54-1225-39435.94
white, metal

5x 28W E14 EcoClassic incl.
approved for 5x max. 40W



Waltz
p. 63



3668131LI


class I, IP20, 230V
H2870mm L840mm W840mm

54-1225-39436.24
white, metal

8x 28W E14 EcoClassic incl.
approved for 8x max. 40W



Waltz
p. 63



3668231LI


class I, IP20, 230V
H378mm L419mm W216mm

54-1225-39429.62
white, metal

2x 28W E14 EcoClassic incl.
approved for 2x max. 40W



Cielo
p. 67



4055001LI


class II, IP20, 230V
H3210mm L593mm W593mm

54-1398-70747.90
gold, aluminium

24x 2,5W POWERLED incl.
approved for 24x max. 2,5W



Cielo
p. 67




4055030LI
class II, IP20, 230V
H3210mm L593mm W593mm

54-1398-70748.06
black, aluminium

24x 2,5W POWERLED incl.
approved for 24x max. 2,5W



Cielo
p. 67




4055030LI
class II, IP20, 230V
H3210mm L593mm W593mm

54-1398-70748.13
white, aluminium

24x 2,5W POWERLED incl.
approved for 24x max. 2,5W



Skive
p. 69




4038030LI
class I, IP20, 230V
H3000mm L700mm W700mm

54-1398-70444.89
black, aluminium

3x 70W E27 EcoClassic incl.
approved for 3x max. 70W



Skive
p. 69




4038030LI
class I, IP20, 230V
H3000mm L700mm W700mm

54-1398-70444.96
white, aluminium

3x 70W E27 EcoClassic incl.
approved for 3x max. 70W



Portio
p. 71




4025230LI
class I, IP20, 230V
H2640mm L610mm W610mm

54-1225-39948.00
white, glass

3x 14W E27 Softone incl.
approved for 3x max. 150W



Portio
p. 71




4025230LI
class I, IP20, 230V
H2640mm L610mm W610mm

54-1225-39883.42
red, glass

3x 14W E27 Softone incl.
approved for 3x max. 150W



Lucios
p. 73




4031211LI
class I, IP20, 230V
H3000mm L450mm W450mm

54-1398-70248.32
chrome, aluminium

1x 140W E27 EcoClassic incl.
approved for 1x max. 150W



Carino
p. 75




3692032LI
class I, IP20, 230V
H2350mm L400mm W400mm

54-1225-39963.85
red, glass

1x 105W E27 EcoClassic incl.
approved for 1x max. 150W



Carino
p. 75




3692132LI
class I, IP20, 230V
H2250mm L713mm W300mm

54-1225-39964.53
red, glass

2x 105W E27 EcoClassic incl.
approved for 2x max. 105W



Carino
p. 75




3692232LI
class I, IP20, 230V
H123mm L135mm W151mm

54-1225-39963.92
red, glass

1x 42W G9 EcoHalo incl.
approved for 1x max. 60W



Carino
p. 75




3692532LI
class I, IP20, 230V
H282mm L300mm W300mm

54-1225-39964.15
red, glass

1x 105W E27 EcoClassic incl.
approved for 1x max. 105W



Carino
p. 77




3692031LI
class I, IP20, 230V
H2350mm L400mm W400mm

54-1225-39985.32
white, glass

1x 105W E27 EcoClassic incl.
approved for 1x max. 150W



Carino
p. 77




3692131LI
class I, IP20, 230V
H2250mm L713mm W300mm

54-1225-39985.87
white, glass

2x 105W E27 EcoClassic incl.
approved for 2x max. 105W



Carino
p. 77




3692231LI
class I, IP20, 230V
H123mm L135mm W151mm

54-1225-39985.56
white, glass

1x 42W G9 EcoHalo incl.
approved for 1x max. 60W



Carino
p. 77




3692531LI
class I, IP20, 230V
H282mm L300mm W300mm

54-1225-39985.70
white, glass

1x 105W E27 EcoClassic incl.
approved for 1x max. 105W



Bunch
p. 79




4105031LI
class I, IP20, 230V
H2200mm L650mm W650mm

54-1398-70712.25
white, glass

3x 20W E27 Tornado incl.
approved for 3x max. 60W



Bunch
p. 79




4105131LI
class I, IP20, 230V
H2200mm L496mm W496mm

54-1398-70716.38
white, glass

3x 20W E27 Tornado incl.
approved for 3x max. 60W



Nebo
p. 81




3757531LI
class I, IP20, 230V
H2145mm L504mm W504mm

54-1398-70474.28
white, synthetic

1x 55W 2GX13 incl.
approved for 1x max. 55W



Adisa
p. 83



4101011LI


class I, IP20, 230V
H2250mm L498mm W498mm

54-1398-70325.30
chrome, glass

1x 105W E27 EcoClassic incl.
approved for 1x max. 105W



Adisa
p. 83



4101111LI


class I, IP20, 230V
H252mm L498mm W498mm

54-1398-70326.46
chrome, glass

1x 105W E27 EcoClassic incl.
approved for 1x max. 105W



Tulmis
p. 85



3690011LI


class I, IP20, 230V
H2220mm L406mm W406mm

54-1225-39896.22
matt satiné, synthetic

1x 70W E27 EcoClassic incl.
approved for 1x max. 150W



Tulmis
p. 85



3690311LI


class I, IP20, 230V
H1562mm L400mm W400mm

54-1225-39901.16
matt satiné, synthetic

1x 105W E27 EcoClassic incl.
approved for 1x max. 150W



Tulmis
p. 85



3690411LI


class I, IP20, 230V
H582mm L400mm W400mm

54-1225-39901.09
matt satiné, synthetic

1x 105W E27 EcoClassic incl.
approved for 1x max. 150W



Dolinea
p. 89



3683530LI


class I, IP20, SELV
H3000mm L1049mm W87mm

54-1398-71012.67
black, fabric

3x 7,5W POWERLED incl.
approved for 3x max. 7,5W



Dolinea
p. 89




368353 ILLI
class I, IP20, SELV
H3000mm L1049mm W87mm

54-1398-71012.74
white, fabric

3x 7,5W POWERLED incl.
approved for 3x max. 7,5W



Dolinea
p. 89




368363 ILLI
class I, IP20, SELV
H3000mm L1300mm W87mm

54-1398-71012.81
black, fabric

4x 7,5W POWERLED incl.
approved for 4x max. 7,5W



Dolinea
p. 89




368363 ILLI
class I, IP20, SELV
H3000mm L1300mm W87mm

54-1398-71012.98
white, fabric

4x 7,5W POWERLED incl.
approved for 4x max. 7,5W



Dolinea
p. 89




368373 ILLI
class I, IP20, SELV
H478mm L99mm W71mm

54-1398-71013.04
black, fabric

2x 7,5W POWERLED incl.
approved for 2x max. 7,5W



Dolinea
p. 89




368373 ILLI
class I, IP20, SELV
H478mm L99mm W71mm

54-1398-71013.11
white, fabric

2x 7,5W POWERLED incl.
approved for 2x max. 7,5W



Tereza
p. 91




402051 ILLI
class I, IP20, 230V
H2600mm L844mm W132mm

54-1225-39523.67
chrome, metal

7x 28W G9 EcoHalo incl.
approved for 7x max. 28W



Teres
p. 91



4020611LI


class I, IP20, 230V
H2600mm L1184mm W132mm

54-1225-39523.74
chrome, metal

11x 28W G9 EcoHalo incl.
approved for 11x max. 28W



Teres
p. 91



4560511LI


class I, IP20, 230V
H75mm L306mm W96mm

54-1398-70178.96
chrome, metal

2x 42W G9 EcoHalo incl.
approved for 2x max. 60W



Teres
p. 93



4020517LI


class I, IP20, 230V
H2600mm L844mm W132mm

54-1225-39526.26
matt chrome, metal

7x 28W G9 EcoHalo incl.
approved for 7x max. 28W



Teres
p. 93



4020617LI


class I, IP20, 230V
H2600mm L1184mm W132mm

54-1225-39526.33
matt chrome, metal

11x 28W G9 EcoHalo incl.
approved for 11x max. 28W



Teres
p. 93



4560517LI


class I, IP20, 230V
H75mm L306mm W96mm

54-1398-70179.02
matt chrome, metal

2x 42W G9 EcoHalo incl.
approved for 2x max. 60W



Altena
p. 95



3794548LI


class II, IP20, SELV
H2500mm L1167mm W140mm

54-1398-70936.23
aluminium, metal

4x 7,5W POWERLED incl.
approved for 4x max. 7,5W



Altena
p. 95




3794648LI
class II, IP20, SELV
H51mm L603mm W200mm

54-1398-70936.30
aluminium, metal

3x 7,5W POWERLED incl.
approved for 3x max. 7,5W



Altena
p. 95




3794748LI
class I, IP20, SELV
H56mm L324mm W144mm

54-1398-70936.47
aluminium, metal

2x 7,5W POWERLED incl.
approved for 2x max. 7,5W



Tubound
p. 97




4060731I6
class I, IP20, I2V
H2500mm L123mm W123mm

87-1794-30352.29
white, aluminium

1x 30W G53 incl.
approved for 1x max. 30W



Tubound
p. 97




4060831I6
class I, IP20, I2V
H2500mm L1090mm W123mm

87-1794-30353.28
white, aluminium

3x 30W G53 incl.
approved for 3x max. 30W



Tubuled
p. 99




407151IUI
class I, IP20, SELV
H2500mm L170mm W170mm

54-1398-71010.38
chrome, glass

1x 7,5W POWERLED incl.
approved for 1x max. 7,5W



Tubuled
p. 99




407161IUI
class I, IP20, SELV
H2500mm L556mm W120mm

54-1398-71010.76
chrome, glass

2x 7,5W POWERLED incl.
approved for 2x max. 7,5W



Tubuled
p. 99



407171 ILI


class I, IP20, SELV
H2500mm L1046mm W120mm

54-1398-71010.45
chrome, glass

3x 7,5W POWERLED incl.
approved for 3x max. 7,5W



Tubular
p. 101



402151 ILI


class I, IP20, 230V
H2840mm L120mm W120mm

54-1225-39533.71
chrome, metal

1x 75W E27 incl.
approved for 1x max. 75W



Tubular
p. 101



402161 ILI


class I, IP20, 230V
H2840mm L690mm W120mm

54-1225-39533.64
chrome, metal

2x 75W E27 incl.
approved for 2x max. 75W



Tubular
p. 101



402171 ILI


class I, IP20, 230V
H2840mm L990mm W120mm

54-1225-39533.57
chrome, metal

3x 75W E27 incl.
approved for 3x max. 75W



Celso
p. 103



4022117LI


class I, IP20, 230V
H253mm L900mm W340mm

54-1225-39527.56
matt chrome, metal

1x 240W R7S EcoHalo incl.
approved for 1x max. 300W



Circulis
p. 107



579363116


class I, IP20, SELV
H50mm L273mm W197mm

87-1794-37485.87
white, aluminium

1x 15W POWERLED incl.
approved for 1x max. 15W



Circulis
p. 107




579373116
class I, IP20, SELV
H150mm L460mm W207mm

87-1794-37485.70
white, aluminium

2x 15W POWERLED incl.
approved for 2x max. 15W



Ponato
p. 109




57160311I
class I, IP20, SELV
H140mm L210mm W112mm

54-1398-71004.68
white, metal

1x 7,5W POWERLED incl.
approved for 1x max. 7,5W



Ponato
p. 109




57162311I
class I, IP20, SELV
H140mm L322mm W112mm

54-1398-71004.82
white, metal

2x 7,5W POWERLED incl.
approved for 2x max. 7,5W



Ponato
p. 109




57164311I
class I, IP20, SELV
H140mm L622mm W112mm

54-1398-71005.05
white, metal

4x 7,5W POWERLED incl.
approved for 4x max. 7,5W



Ponato
p. 111




57160131I
class I, IP20, SELV
H140mm L210mm W112mm

54-1398-71004.51
black chrome, metal

1x 7,5W POWERLED incl.
approved for 1x max. 7,5W



Ponato
p. 111




57162131I
class I, IP20, SELV
H140mm L322mm W112mm

54-1398-71004.75
black chrome, metal

2x 7,5W POWERLED incl.
approved for 2x max. 7,5W



Ponato
p. 111



5716413LI


class I, IP20, SELV
H140mm L622mm W112mm

54-1398-71004.99
black chrome, metal

4x 7,5W POWERLED incl.
approved for 4x max. 7,5W



Torno
p. 113



5714011LI


class II, IP20, SELV
H153mm L179mm W179mm

54-1398-70779.20
chrome, metal

1x 7,5W POWERLED incl.
approved for 1x max. 7,5W



Torno
p. 113



5714211LI


class II, IP20, SELV
H248mm L256mm W256mm

54-1398-70779.44
chrome, metal

2x 7,5W POWERLED incl.
approved for 2x max. 7,5W



Torno
p. 113



5714311LI


class II, IP20, SELV
H353mm L258mm W258mm

54-1398-70778.69
chrome, metal

3x 7,5W POWERLED incl.
approved for 3x max. 7,5W



Torno
p. 113



5714511LI


class III, IP20, 10,7V
L85mm C70x70 R71

54-1398-70778.83
chrome, metal

1x 7,5W POWERLED incl.
approved for 1x max. 7,5W



Torno
p. 113



5714611LI


class III, IP20, 10,7V
L85mm C65x65 R38

54-1398-70779.06
chrome, metal

1x 7,5W POWERLED incl.
approved for 1x max. 7,5W



Torno
p. 115




5714031LI
class II, IP20, SELV
H153mm L179mm W179mm

54-1398-70779.37
white, metal

1x 7,5W POWERLED incl.
approved for 1x max. 7,5W



Torno
p. 115




5714231LI
class II, IP20, SELV
H248mm L256mm W256mm

54-1398-70779.51
white, metal

2x 7,5W POWERLED incl.
approved for 2x max. 7,5W



Torno
p. 115




5714331LI
class II, IP20, SELV
H353mm L258mm W258mm

54-1398-70778.76
white, metal

3x 7,5W POWERLED incl.
approved for 3x max. 7,5W



Torno
p. 115




5714531LI
class III, IP20, 10,7V
L85mm C70x70 R71

54-1398-70778.90
white, metal

1x 7,5W POWERLED incl.
approved for 1x max. 7,5W



Torno
p. 115




5714631LI
class III, IP20, 10,7V
L85mm C65x65 R38

54-1398-70779.13
white, metal

1x 7,5W POWERLED incl.
approved for 1x max. 7,5W



Pallo
p. 117




5707031LI
class I, IP20, 12V
H175mm L156mm W156mm

54-1398-70259.83
white, metal

1x 50W G53 incl.
approved for 1x max. 50W



Pallo
p. 117



570723ILI


class I, IP20, 12V
H257mm L298mm W210mm

54-1398-70257.23
white, metal

2x 50W G53 incl.
approved for 2x max. 50W



Pallo
p. 117



570733ILI


class I, IP20, 12V
H261mm L302mm W302mm

54-1398-70260.27
white, metal

3x 50W G53 incl.
approved for 3x max. 50W



Doloq
p. 119



571303ILI


class I, IP20, 12V
H85mm L200mm W155mm

54-1398-70714.54
white, metal

1x 30W G53 incl.
approved for 1x max. 35W



Doloq
p. 119



571323ILI


class I, IP20, 12V
H85mm L325mm W155mm

54-1398-70714.78
white, metal

2x 30W G53 incl.
approved for 2x max. 35W



Doloq
p. 119



571333ILI


class I, IP20, 12V
H85mm L495mm W155mm

54-1398-70714.92
white, metal

3x 30W G53 incl.
approved for 3x max. 35W



Doloq
p. 119



571343ILI


class I, IP20, 12V
H85mm L325mm W325mm

54-1398-70715.15
white, metal

4x 30W G53 incl.
approved for 4x max. 35W



Doloq
p. 121




5713030LI
class I, IP20, 12V
H85mm L200mm W155mm

54-1398-70996.63
black, metal

1x 30W G53 incl.
approved for 1x max. 35W



Doloq
p. 121




5713230LI
class I, IP20, 12V
H85mm L325mm W155mm

54-1398-70996.70
black, metal

2x 30W G53 incl.
approved for 2x max. 35W



Doloq
p. 121




5713330LI
class I, IP20, 12V
H85mm L495mm W155mm

54-1398-70996.87
black, metal

3x 30W G53 incl.
approved for 3x max. 35W



Doloq
p. 121




5713430LI
class I, IP20, 12V
H85mm L325mm W325mm

54-1398-70996.94
black, metal

4x 30W G53 incl.
approved for 4x max. 35W



Bloq
p. 123




5700030LI
class I, IP20, 12V
H122mm L163mm W163mm

54-1398-70044.45
black, metal

1x 50W G53 incl.
approved for 1x max. 50W



Bloq
p. 123




5700230LI
class I, IP20, 12V
H122mm L313mm W163mm

54-1398-70044.52
black, metal

2x 50W G53 incl.
approved for 2x max. 50W



Bloq
p. 123



5700330LI


class I, IP20, 12V
H122mm L463mm W163mm

54-1398-70044.69
black, metal

3x 50W G53 incl.
approved for 3x max. 50W



Bloq
p. 123



5700430LI


class I, IP20, 12V
H122mm L313mm W313mm

54-1398-70044.76
black, metal

4x 50W G53 incl.
approved for 4x max. 50W



Bloq
p. 125



5700031LI


class I, IP20, 12V
H122mm L163mm W163mm

54-1225-39505.47
white, metal

1x 50W G53 incl.
approved for 1x max. 50W



Bloq
p. 125



5700231LI


class I, IP20, 12V
H122mm L313mm W163mm

54-1225-39505.54
white, metal

2x 50W G53 incl.
approved for 2x max. 50W



Bloq
p. 125



5700331LI


class I, IP20, 12V
H122mm L463mm W163mm

54-1225-39505.61
white, metal

3x 50W G53 incl.
approved for 3x max. 50W



Bloq
p. 125



5700431LI


class I, IP20, 12V
H122mm L313mm W313mm

54-1225-39505.78
white, metal

4x 50W G53 incl.
approved for 4x max. 50W



Condo
p. 127




306043116
class I, IP20, 230V
H115mm L144mm W92mm

87-1794-30352.05
white, aluminium

1x 35W EcoHalo GU10 incl.
approved for 1x max. 35W



Condo
p. 127




306053116
class I, IP20, 230V
H115mm L234mm W92mm

87-1794-30352.12
white, aluminium

2x 35W EcoHalo GU10 incl.
approved for 2x max. 35W



Condo
p. 127




336053116
class I, IP20, 230V
H200mm L94mm W125mm

87-1794-30354.27
white, aluminium

2x 35W EcoHalo GU10 incl.
approved for 2x max. 35W



Condo
p. 127




336053196
class I, IP20, 230V
H200mm L94mm W125mm

87-1794-37418.78
white, aluminium

2x 35W EcoHalo GU10 incl.
approved for 2x max. 35W



Tubiz
p. 129




30665311I
class I, IP20, 12V
H124mm L122mm W122mm

87-1829-14287.63
white, aluminium

1x 30W G53 incl.
approved for 1x max. 30W



Tubiz
p. 129




3066548LI
class I, IP20, 12V
H124mm L122mm W122mm

87-1829-14287.70
aluminium, aluminium

1x 30W G53 incl.
approved for 1x max. 30W



Bonq
p. 131




579813116
class I, IP20, 12V
H101mm L141mm W141mm

87-1794-30352.67
white, aluminium
1x 30W G53 incl.
approved for 1x max. 45W



Bonq
p. 131




579814816
class I, IP20, 12V
H101mm L141mm W141mm

87-1794-30352.74
aluminium, aluminium
1x 30W G53 incl.
approved for 1x max. 45W



Bonq
p. 131




579823116
class I, IP20, 12V
H101mm L281mm W141mm

87-1794-30352.81
white, aluminium
2x 30W G53 incl.
approved for 2x max. 45W



Bonq
p. 131




579824816
class I, IP20, 12V
H101mm L281mm W141mm

87-1794-30352.98
aluminium, aluminium
2x 30W G53 incl.
approved for 2x max. 45W



Bonq
p. 131




579843116
class I, IP20, 12V
H101mm L881mm W141mm

87-1794-30353.04
white, aluminium
4x 30W G53 incl.
approved for 4x max. 45W



Bonq
p. 131




579844816
class I, IP20, 12V
H101mm L881mm W141mm

87-1794-30353.11
aluminium, aluminium
4x 30W G53 incl.
approved for 4x max. 45W



Dolium
p. 133




579903196
class I, IP20, 230V
H122mm L124mm W72mm

87-1794-37417.62
white, aluminium

1x 35W EcoHalo GU10 incl.
approved for 1x max. 35W



Dolium
p. 133




579903116
class I, IP20, 230V
H122mm L124mm W72mm

87-1794-30353.73
white, aluminium

1x 35W EcoHalo GU10 incl.
approved for 1x max. 35W



Dolium
p. 133




579904816
class I, IP20, 230V
H122mm L124mm W72mm

87-1794-37413.04
aluminium, aluminium

1x 35W EcoHalo GU10 incl.
approved for 1x max. 35W



Dolium
p. 133




579904896
class I, IP20, 230V
H122mm L124mm W72mm

87-1794-37417.79
aluminium, aluminium

1x 35W EcoHalo GU10 incl.
approved for 1x max. 35W



Dolium
p. 133




579923116
class I, IP20, 230V
H122mm L210mm W72mm

87-1794-30354.65
white, aluminium

2x 35W EcoHalo GU10 incl.
approved for 2x max. 35W



Dolium
p. 133




579924816
class I, IP20, 230V
H122mm L210mm W72mm

87-1794-37413.11
aluminium, aluminium

2x 35W EcoHalo GU10 incl.
approved for 2x max. 35W



Dolium
p. 133



579943116


class I, IP20, 230V
H122mm L580mm W72mm

87-1794-30354.72
white, aluminium

4x 35W EcoHalo GU10 incl.
approved for 4x max. 35W



Dolium
p. 133



579944816


class I, IP20, 230V
H122mm L580mm W72mm

87-1794-37413.28
aluminium, aluminium

4x 35W EcoHalo GU10 incl.
approved for 4x max. 35W



Planet
p. 135



5703048LI


class I, IP20, 230V
H82mm L80mm W80mm

54-1225-39503.32
aluminium, aluminium

1x 50W GU10 incl.
approved for 1x max. 50W



Planet
p. 135



5703148LI


class II, IP20, 230V
H108mm L94mm W94mm

54-1225-39504.62
aluminium, aluminium

1x 35W GU10 incl.
approved for 1x max. 35W



Planet
p. 135



5703248LI


class I, IP20, 230V
H95mm L195mm W80mm

54-1225-39503.87
aluminium, aluminium

2x 50W GU10 incl.
approved for 2x max. 50W



Planet
p. 135



5703348LI


class I, IP20, 230V
H240mm L596mm W132mm

54-1225-39504.48
aluminium, aluminium

3x 50W GU10 incl.
approved for 3x max. 50W



Planet
p. 135




5703448LI
class I, IP20, 230V
H95mm L195mm W195mm

54-1225-39504.00
aluminium, aluminium

4x 50W GU10 incl.
approved for 4x max. 50W



Planet
p. 135




5703648LI
class I, IP20, 230V
H107mm L1055mm W82mm

54-1225-39504.24
aluminium, aluminium

6x 50W GU10 incl.
approved for 6x max. 50W



Planet
p. 137




5703031LI
class I, IP20, 230V
H82mm L80mm W80mm

54-1225-39503.56
white, aluminium

1x 50W GU10 incl.
approved for 1x max. 50W



Planet
p. 137




5703131LI
class II, IP20, 230V
H108mm L94mm W94mm

54-1225-39504.79
white, aluminium

1x 35W GU10 incl.
approved for 1x max. 35W



Planet
p. 137




5703231LI
class I, IP20, 230V
H95mm L195mm W80mm

54-1225-39503.94
white, aluminium

2x 50W GU10 incl.
approved for 2x max. 50W



Planet
p. 137




5703331LI
class I, IP20, 230V
H240mm L596mm W132mm

54-1225-39504.55
white, aluminium

3x 50W GU10 incl.
approved for 3x max. 50W



Planet
p. 137



570343 I/LI


class I, IP20, 230V
H95mm L195mm W195mm

54-1225-39504.17
white, aluminium

4x 50W GU10 incl.
approved for 4x max. 50W



Planet
p. 137



570363 I/LI


class I, IP20, 230V
H107mm L1055mm W82mm

54-1225-39504.31
white, aluminium

6x 50W GU10 incl.
approved for 6x max. 50W



Rima
p. 139



336073 I/LI


class II, IP20, 230V
H117mm L827mm W65mm

87-1794-30353.42
white, aluminium

1x 14W G5 incl.
approved for 1x max. 14W



Vetro
p. 141



325013 I/LI


class I, IP20, 230V
H83mm L450mm W450mm

54-1225-39507.83
white, glass

2x 80W R7S EcoHalo incl.
approved for 2x max. 105W



Vetro
p. 141



345003 I/LI


class I, IP20, 230V
H80mm L380mm W184mm

54-1225-39507.76
white, glass

1x 120W R7S EcoHalo incl.
approved for 1x max. 120W



Kwadro
p. 143



3250417 LI


class I, IP20, 230V
H71mm L250mm W250mm

54-1225-39513.39
matt chrome, metal

2x 9W G27 incl.
approved for 2x max. 9W



Kwadro
p. 143




3250517LI
class I, IP20, 230V
H71mm L350mm W350mm

54-1225-39512.92
matt chrome, metal

2x 11W 2G7 incl.
approved for 2x max. 11W



Kwadro
p. 143




3250617LI
class I, IP20, 230V
H71mm L450mm W450mm

54-1225-39513.46
matt chrome, metal

4x 9W 2G7 incl.
approved for 4x max. 9W



Kwadro
p. 143




3450417LI
class I, IP20, 230V
H71mm L350mm W180mm

54-1225-39513.15
matt chrome, metal

1x 11W 2G7 incl.
approved for 1x max. 11W



Rando
p. 145




3251548LI
class II, IP20, 230V
H82mm L504mm W504mm

54-1398-70445.71
aluminium, synthetic

1x 60W 2GX13 incl.
approved for 1x max. 60W



Rando
p. 145



3251648LI
class II, IP20, 230V
H82mm L424mm W424mm

54-1398-70485.48
aluminium, glass

1x 40W 2GX13 incl.
approved for 1x max. 40W



Philips Consumer Lighting Solutions EMEA

AT Austria

Triester Straße 64
1101 Wien
Tel. +43 (0) 1 60 101 0
Fax. +43 (0) 1 60 101 1883

BE Belgium

Uilenbaan 200
2160 Wommelgem
Tel. +32 03 353 84 61
Fax +32 03 353 71 59

BY Belarus

Pobeditelei Av. 89/2
220020 Minsk
Tel. +375 172 501 197

CH Switzerland

Allmendstraße 140
8027 Zürich
Tel. +41 (0) 44 488 22 00
Fax +41 (0) 44 488 25 44

CZ Czech Republic

Safránková 1
155 55 Praha 5
Tel. +420 2 33 09 92 82
Fax +420 2 33 09 93 25

DE Germany

Lübeckertordamm 5
20099 Hamburg
Tel. +49 (0) 40 2899 0
Fax. +49 (0) 40 2899 3323

DK Denmark

Lysholtparken
Lysholt Allé 10
7100 Vejle
Tel. +45 76 40 10 40
Fax +45 76 40 10 30

Frederikskaj 6
1780 Copenhagen V
Tel. +45 33 29 33 33
Fax +45 33 29 39 44

ES Spain

C/Maria de Portugal, 1
28050 Madrid
Tel. +34 91 566 95 25
Fax +34 902 10 89 31

Pedidos:
Tel. +34/902 36 37 38
Fax +34/900 10 14 9

FI Finland

Perintötie 2 C
01510 Vantaa
Tel. +358 9 615 800
Fax +358 9 6158 0413

FR France

DIVISION ECLAIRAGE GRAND PUBLIC
ZI Route d'Ennetières - BP 70040
59637 Templemars Cedex
Tel. +33/(0)320-88 74 00
Fax +33/(0)320-88 74 39

GR Greece

Kifissias av. 44
15125 Marousi
Tel. + 302106162000
Fax + 302106162492

HR Croatia

Remetinečka cesta 139
10000 Zagreb
Tel. + 385 1 3033-710
Fax + 385 1 3033-774

HU Hungary

Alíz u. 1
H-1117 Budapest
Tel. +36 1 382-1856
Fax +36 1 382-1851

IE Ireland

Newstead Fonthill Industrial Park
Dublin 22
Tel. +353 1 7640000
Fax +353 1 7640121

IT Italy

Via G. Casati 23
20052 Monza - MB
Tel. +39/039.2031
Fax +39/039.2036128

KZ Kazakhstan

15, Republic square, office 264-268
050013 Almaty
Tel. +7 727 250 66 17
Fax +7 727 250 66 73

NL The Netherlands

Postbus 90050 – 5600PB Eindhoven
Boschdijk 525 - Gebouw VB6
5621 JG Eindhoven
Tel. +3140-2780010
Fax +31 402 78 02 22

NO Norway

Innspurten 15
0663 Oslo
Tel. +47 22 74 80 00
Fax +47 22 74 80 10

PL Poland

ul. Objazdowa 6b
62-300 Września
Tel. +48/61-437 44 00
Fax +48/61-437 44 40

Al. Jerozolimskie 195 B
02-222 Warszawa
Tel. +48/22 - 571 01 17
Fax +48/22 - 571 00 42

PT Portugal

Lagoas Park
Edifício 14
2740-262 Porto Salvo
Tel. +351-21 423 77 00
Fax +351-21 423 59 77

RO Romania

Fabrica de Glucoza nr. 17, sector 2
Bucuresti, Cod Postal 020331
Tel. + 40 21 203 20 60
Fax + 40 21 203 20 39

RS Serbia

Trg Nikole Pašića 5/V
11000 Beograd
Tel: +381-11-32-42-623
Fax: +381-11-33-42-303

RU Russia

Usacheva Street, 35
119048 Moscow,
Tel. +7 (495) 937 93 70
Fax +7 (495) 937 93 59

SE Sweden

Knarrarnäsgatan 7
164 85 Stockholm
Tel. +46 (0)200 11 27 22
Fax +46 (0)200 77 76 00

SK Slovakia

Plynárenská 7/B
821 09, Bratislava
Tel. +421 2 20 66 61 58
Fax +421 2 20 66 61 59

SL Slovenia

Knezov Štadon 94
1000 Ljubljana
Tel. +386 1/280 95 56
Fax +386 1280 95 61

TR Turkey

Saray Mah. Dr.Adnan Büyükdenez Cad.No: 13
Ümraniye – 34768 İstanbul
Tel. + 90/216 636 15 00
Fax: + 90/216 636 15 15

UA Ukraine

4 Mykoly Grinchenka str.,
Horizon Park Business Center,
Building N 2, Floor 4
03038 Kiev
Tel. +380 44 490 9848
Fax +380 44 490 9856

UAE United Arab Emirates

Philips Lighting Middle East
Dubai Knowledge Village (Next to Cisco Building)
Al Sufouh 2
P.O.Box: 7785, Dubai, United Arab Emirates
Tel. +971 4 446 1 100
Fax +971 4 446 1 190

UK UK

Guildford Business Park
Guildford
Surrey GU2 8XH
Tel. +44(0)1483 293201
Fax +44(0)1483 29880

BE International Sales

Industrieterrein Satenrozen 13
B-2550 Kontich
Tel. +32 3 353 28 11
Fax +32 3 459 11 00

SYMBOL description



switch



dimmer



touchdimmer



adjustable height



adjustable height



rotates freely



easy installation with magnetic cover



dimnable with wall dimmer



suitable for wall & ceiling



suitable for ceiling



suitable for wall

H

height

L

length

W

width

C

cut-out size (recessed spots)

R

recessed distance (recessed spots)

WWW.LIRIO.EU



CON

CON

SH